
indoors
BY B&G
InDoors,
Open to More...
www.indoors.ie

open the doors to your imagination...

The beauty and finish of **quality doors, sets the tone** for every room in your home.

They are unique, the one piece of furniture that travels through your entire home, room by room. **Doors help create the spaces that generate atmospheres**, from your favourite relaxing place, the buzz of the dining room or to the homely feeling after a long day.

With our commitment to excellence, innovation, and customer satisfaction we are delighted to present you with our new additions to the Indoors range.

Looking for some eye-catching décor? Why not start with the **New Feature Doors** from our **Vista Collection**, or browse our bestselling **Classic Styles**, refined over 50 years to allow seamless integration of traditional and modern homes.

Indoors market-leading door designs set the standard for style, quality, and innovation in the industry. Choose from black, grey, white primed, or natural wood finishes.

Our Classic and Modern door ranges emphasise craftsmanship and simplicity in your home.

Primed doors empower you to continually update your doors with the latest colour trends, or paint them white, for that timeless effect.

From glazed doors to let in more light, to solid timber finishes, where the rich texture of the wood alone is the styling you require.

Our Indoors collection has been carefully curated for you over 50 years of Irish consumer research, to balance style, finish and value.

Welcome to this season's collection from Indoors.

Indoors Collection Contents

Indoors Visualiser	6
Modern Grey Collection	8
Modern Black Collection	12
Classic White Collection	24
Modern White Collection	44
Oak Collection	56
Country Cottage Collection	62
Masonite Regency Collection	68
Fire Door Collection	72
Architraves, Skirtings & Frames	84
Decorative Mouldings	97
Sliding Door Kit Collection	98
Fibrotech Acoustic Panels	100
Radiator Covers	102
Care For Your Doors	112
Index	114

OUR SUSTAINABLE PROMISE

At B&G, we are committed to fostering a greener, more sustainable future. Our dedication to environmental responsibility inspires us to continuously evolve our business practices, refine our product offerings, and minimise our carbon footprint.

We are proud to hold both FSC® (Forest Stewardship Council®) and PEFC (Programme for the Endorsement of Forest Certification) Chain of Custody Certifications, ensuring our products meet the highest sustainability standards. For your convenience, individual product classifications are clearly marked throughout our brochure

FSC
www.fsc.org
FSC® C189640
The mark of responsible forestry

PEFC
PEFC/17-31-088
By sourcing PEFC, we are supporting sustainably managed forests globally
www.pefc.co.uk

Visualiser

Introducing the **NEW**
Easy To Use **Indoors Visualiser.**


For the first time in your home, view any of our classic or modern doors, in a variety of colours, white, black, grey or oak including glazed options.

You can use the **Indoors Visualiser** on any computer, tablet or phone.

Open the Doors to your Imagination with the **NEW Indoors Visualiser**

Scan the QR code to try it out

Renovating?





Simply...

1

Scan the QR code to open the Indoors Visualiser App



2

Take a photo of an open door space or similar in your home.



3

Upload your photo or use one of our roomsets to see how our Indoors range can enhance your living spaces like never before.



LUNA

MODERN GREY COLLECTION

The Nolita Grey Shaker Door is the first arrival from our brand-new Luna Grey collection. The Nolita is crafted from real oak veneer, offering a touch of natural elegance & unique character.

This door combines the timeless charm of Shaker design with a sleek grey finish, adding a contemporary edge to any space.

The Nolita doors are fully factory finished.

VIEWING NOLITA CLEAR GLAZED

LUNA

MODERN GREY COLLECTION

NEW




Nolita
Grey Shaker
Pre-finished

NEW



Nolita
Clear Glass
Pre-finished

NEW



Nolita
LAMSAFE Opaque glass
Pre-finished

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Nolita Grey Shaker							44MM
Nolita Clear Glass							44MM
Nolita Opaque Glass							44MM


Modern Grey
Shaker Doors

Crafted From Real
Oak Veneer

Pre-Finished Grey
(RAL 7024)

Clear or Lamsafe
Opaque Glass

T Rebate Moulding
Required For
Double Doors
see page 96



Fibrotech Acoustic Panels.
See full range on pages 100-101.

FIBROTECH BY TREE TOPS

VIEWING NOLITA OPAQUE

VISTA

MODERN BLACK COLLECTION

Indoors is proud to introduce our latest innovation in interior design with the introduction of our **exclusive new Vista Feature Glazed collection**.

Crafted to elevate the aesthetic of hallways, living rooms, and kitchens, these doors boast ultra-slim vertical stiles and horizontal rails, setting **a new standard in modern elegance**.

The new Vista collection is **designed to complement** our Indoors classic and contemporary white primed doors.

The premium primed black finish adds **a touch of sophistication** for those seeking to enhance the overall ambiance of their living spaces.


Indoors' Vista Feature Glazed Doors allow natural light to flow through spaces effortlessly and are **available in clear glass or reeded glass**.

VIEWING SEATTLE REEDED GLASS WITH BELLE ARCHITRAVE AND SKIRTING

VISTA

MODERN BLACK COLLECTION

NEW





Black T Rebate Moulding for Double Doors, see page 96

- Modern Feature Doors
- Ultra Slim Stiles & Rails
- Premium Primed Black (RAL 9005)
- Clear Glass
- T Rebate Moulding Required for Double Doors

Soho
8 Lite Clear Glass
Premium Primed Black

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Soho Clear Glass						

THICKNESS 44MM



VIEWING SOHO DOOR & PARIS ARCHITRAVE & SKIRTING

VISTA

MODERN BLACK COLLECTION

NEW





Black T Rebate Moulding for Double Doors, see page 96

- Modern Feature Doors
- Ultra Slim Stiles & Rails
- Premium Primed Black (RAL 9005)
- Clear Glass
- T Rebate Moulding Required for Double Doors

Chicago
6 Lite Clear Glass
Premium Primed Black

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Chicago Clear Glass						

THICKNESS 44MM



VIEWING CHICAGO DOOR & PARIS ARCHITRAVE & SKIRTING

VISTA

MODERN BLACK COLLECTION



Portland
4 Lite Clear Glass
Premium Primed Black



Portland
4 Lite Reeded Glass
Premium Primed Black




The Reeded glass is textured on only one side, the opposite side is smooth



Black T Rebate Moulding for Double Doors, see page 96

- Modern Feature Doors
- Ultra Slim Stiles & Rails
- Premium Primed Black (RAL 9005)
- Clear or Reeded Glass
- T Rebate Moulding Required for Double Doors

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Portland Clear Glass			■	■	■	■	44MM
Portland Reeded Glass			■	■	■	■	44MM



VIEWING PORTLAND CLEAR GLASS

VISTA

MODERN BLACK COLLECTION



Seattle
3 Panel
Premium Primed Black



Seattle
3 Lite Clear Glass
Premium Primed Black

- Modern Feature Doors
- Ultra Slim Stiles & Rails
- Premium Primed Black (RAL 9005)
- 3 Panel, Clear or Reeded Glass
- T Rebate Moulding Required for Double Doors



Black T Rebate Moulding for Double Doors, see page 96



Primed Chamferred Architrave profile see pages 86 & 87

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Seattle 3 Panel			■	■	■	■	44MM
Seattle Clear Glass			■	■	■	■	44MM




VIEWING SEATTLE CLEAR GLASS

VISTA

MODERN BLACK COLLECTION

NEW





Black T Rebate Moulding for Double Doors, see page 96

- Modern Feature Doors
- Ultra Slim Stiles & Rails
- Premium Primed Black (RAL 9005)
- 3 Panel, Clear or Reeded Glass
- T Rebate Moulding Required for Double Doors

Seattle
3 Lite Reeded Glass
Premium Primed Black

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Seattle Reeded Glass						

THICKNESS 44MM



VIEWING SEATTLE REEDED DOOR & BELLA ARCHITRAVE & SKIRTING

CLASSIC

COLLECTION

Whether you are looking to add a touch of heritage charm or complement a modern space, our classic doors blend seamlessly with a variety of interior styles, offering beauty and reliability for years to come.

Opting for one of our Classic Glazed doors with their beautiful detailing adds character to the essence of a room and creates areas that feel more spacious and less enclosed.

VIEWING MONROE & VICTORIAN ARCHITRAVE

EVOKE

CHARLESTON

NEW



Charleston
1 Panel
Primed

NEW




Charleston
Clear Glass
Primed

NEW



Charleston
Opaque Glass
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Charleston 1 Panel	■	■	■	■	■	■	44MM
Charleston Clear Glass		■	■	■	■	■	44MM
Charleston Opaque			■	■	■	■	44MM



Charleston Panel detail

LUXURIOUS PERIOD STYLE ARCHITRAVES & SKIRTING, P84 TO 92

Heritage Redefined, Classic designs with a fresh, modern touch.

VIEWING CHARLESTON CLEAR GLAZED

EVOKE

CAROLINA

NEW



Carolina
2 Panel
Primed

NEW



Carolina
Clear Glass
Primed

NEW



Carolina
LAMSAFE Opaque glass
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Carolina 2 Panel	■	■	■	■	■	■	44MM
Carolina Clear Glass		■	■	■	■	■	44MM
Carolina Opaque Glass			■	■	■	■	44MM



Carolina
Panel detail

LUXURIOUS PERIOD STYLE ARCHITRAVES & SKIRTING, P84 TO 92

VIEWING CAROLINA 2 PANEL

MONROE



Monroe
2 Panel
Primed



Monroe
Clear Glass
Primed



Monroe
Frosted Glass
Primed



Monroe
Mould detail

LUXURIOUS PERIOD STYLE ARCHITRAVES & SKIRTING, P84 TO 92

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Monroe 2 Panel	■	■	■	■	■	■	44MM
Monroe Clear Glass				■	■	■	44MM
Monroe Frosted Glass				■	■	■	44MM



VIEWING MONROE CLEAR GLAZED

BEDFORD



Bedford
4 Panel
Primed



Bedford
Clear Glass
Primed



Bedford
Mould detail

LUXURIOUS PERIOD STYLE ARCHITRAVES & SKIRTING, P84 TO 92

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Bedford 4 Panel	■	■	■	■	■	■	44MM
Bedford Clear Glass				■	■		44MM



VIEWING BEDFORD DOOR & VICTORIAN ARCHITRAVE

FRANKLIN



Franklin
3 Panel
Primed



Franklin
Clear Glass
Primed



Franklin
Frosted Glass
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Franklin 3 Panel	■	■	■	■	■	■	44MM
Franklin Clear Glass				■	■	■	44MM
Franklin Frosted				■	■	■	44MM



Franklin
Panel detail

LUXURIOUS PERIOD STYLE ARCHITRAVES & SKIRTING, P84 TO 92

VIEWING FRANKLIN

ARDMORE CLAREMONT



Ardmore
4 Panel
Primed



Claremont
Clear Bevelled Glass
Primed



Ardmore
Mould detail

LUXURIOUS PERIOD STYLE ARCHITRAVES & SKIRTING, **P84 TO 92**

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Ardmore 4 Panel							44MM
Claremont Clear Bevelled Glass							44MM



VIEWING ARDMORE

DOVER



Dover
2 Panel
Primed



Dover Marina
6 Lite Clear Glass
Primed



White T Rebate Moulding for Double Doors, see page 96

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Dover 2 Panel	■	■	■	■	■	■	44MM
Dover Marina	■	■	■	■	■		44MM



VIEWING DOVER MARINA

DOVER



Dover
Clear Glass
Primed



Dover Templar
9 Lite Clear Glass
Primed



White T Rebate Moulding for Double Doors, see page 96

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Dover Templar				■	■		44MM
Dover Clear Glass				■	■	■	44MM



VIEWING DOVER TEMPLAR

SHANNON



Shannon
4 Panel Solid FD30
Primed

CARRICK




Carrick
6 panel FD30
Primed

KILLESHANDRA

Killeshandra
2 Panel FD30
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Shannon	▬	▬	▬	▬	▬	▬	44MM
Carrick	▬	▬	▬	▬	▬	▬	44MM
Killeshandra	▬	▬	▬	▬	▬	▬	44MM



VIEWING CARRICK

MODERN

WHITE COLLECTION

Shaker style doors emphasise craftsmanship and simplicity making them a timeless choice for your home. Shaker style doors boast flat recessed panels to provide depth with dimension and offer a streamlined, modern, functional look that complements almost all decor trends.

Shaker style endures, suiting classic ,contemporary and modern home styling. Its timeless quality is a favourite for all refurbishments and new developments alike.

VIEWING BOSTON CLEAR GLASS

SHAKER

BOSTON

ALSO AVAILABLE FD30 FIRE DOORS



Boston Shaker
Solid
Primed



Boston Shaker
Clear Glass
Primed



Boston Shaker
Frosted
Primed



Boston Shaker
Crystal Cut Glass
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Boston Solid	■	■	■	■	■	■	44MM
Boston Clear Glass	■	■	■	■	■	■	44MM
Boston Frosted Glass	■	■	■	■	■	■	44MM
Boston Crystal Cut Glass	■	■	■	■	■	■	44MM



Boston Shaker
Panel detail



Recommend
Contemporary Architrave and Skirting. See pages 86 & 87



White T Rebate Moulding for Double Doors, see page 96

VIEWING BOSTON CRYSTAL CUT GLAZED

KENMORE



Kenmore
Solid
Primed



Kenmore
Clear Glass
Primed




Kenmore
LAMSAFE® Opaque Glass
Primed



Kenmore
Etched Glass Clear Border
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Kenmore Solid	■		■	■	■	■	44MM
Kenmore Clear Glass	■		■	■	■	■	44MM
Kenmore Opaque Glass	■	■	■	■	■	■	44MM
Kenmore Etched Glass Clear Border			■	■	■	■	44MM



Shaker Panel with
Square Edge Slip



Recommend
Contemporary Architrave and
Skirting. See pages 86 & 87



White T Rebate Moulding for Double Doors, see page 96

VIEWING KENMORE OPAQUE

KIRKLAND



Kirkland
4 Panel Horizontal
Primed



Kirkland
Clear Glass
Primed



Kirkland
Etched Glass
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Kirkland 4 Panel	■	■	■	■	■	■	44MM
Kirkland Clear Glass				■	■	■	44MM
Kirkland Etched Glass				■	■	■	44MM



Kirkland
Panel detail

VIEWING KIRKLAND DOOR & CHAMFERRED ARCHITRAVE

ORLANDO

ALSO AVAILABLE FD30 FIRE DOOR

NEW



Orlando
Solid Grooved
Primed



Orlando
Panel detail

ATLANTA



Atlanta
1 panel FD30
Primed



Atlanta
Panel detail

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Atlanta	■	■	■	■	■	■	44MM
Orlando	■	■	■	■	■	■	44MM



Fibrotech Acoustic Panels.
See full range on pages 100-101.

FIBROTECH BY TREE TOPS

VIEWING ORLANDO


ALTON



Alton
Panel detail

Alton
Ladder design FD30
Primed

BROOKLINE



Brookline
Panel detail

Brookline
4 Line Horizontal FD30
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Alton	■	■	■	■	■	■	44MM
Brookline	■	■	■	■	■	■	44MM



VIEWING BROOKLINE WITH LOFT SLIDING RAIL

OAK



Our White Oak Collection is ideal for either contemporary or traditional interiors. Choose from solid and pre-glazed (toughened) options.

Have a look at the full range of matching Frames, Skirting and Architraves, on pages 84-96.

- Made with premium grade white oak real wood veneers.
- Pre-finished with three coats of hard wearing polyurethane lacquer for a durable, superb, smooth finish.
- All Oak Doors 44mm thick.

VIEWING VERTO MEXICANO AND BOSTON CLEAR GLASS

OAK

MEXICANO

NEW





Verto Mexicano
Panel detail

Verto
Mexicano
Pre-Finished

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Mexicano						

THICKNESS
44MM



VIEWING: VERTO MEXICANO

OAK

BOSTON - SHAKER

NEW



Boston Oak Shaker
Solid
Pre-Finished

NEW



Boston Oak Shaker
Clear Glass
Pre-Finished

NEW



Boston Oak Shaker
LAMSAFE® Opaque Glass
Pre-Finished

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Boston Solid	■	■	■	■	■	■	44MM
Boston Clear Glass				■	■	■	44MM
Boston LAMSAFE®				■	■	■	44MM



VIEWING BOSTON CLEAR GLASS

COUNTRY COTTAGE

Indoors white primed country cottage-style interior doors offer a fresh, clean take on rustic charm. The white primed finish enhances their versatility, making them a perfect fit for both modern and vintage farmhouse settings.

These doors evoke a cozy, timeless cottage feel while offering a polished, modern touch.

VIEWING SAVANNAH

DEVON

NEW



Devon
Framed Ledged & Braced
Primed



Devon
Reverse Detail

SAVANNAH



Savannah
5 Panel vertical textured FD30
Primed



Savannah
Panel detail

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Devon			■	■	■	■	44MM
Savannah	■	■	■	■	■	■	44MM



Devon Door is Braced on both Sides

LEDGED & BRACED

CAMDEN



Camden
Framed Ledged & Braced



Camden
Reverse Detail

LEDGED & BRACED



Ledged & Braced



Ledged & Braced
Reverse Detail

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Camden						
Ledged & Braced						

THICKNESS
44MM
44MM



Camden Door is sheeted on one side. When properly treated & sealed, the Camden can be used externally for side entrance and shed doors

MASONITE REGENCY

FLUSH



Paint Grade Plus
Hollow Core
Primed

ATLANTA




Atlanta
1 panel
Primed

SHANNON



Shannon
4 Panel
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Paint Grade Plus Hollow Core							44MM
Atlanta							44MM
Shannon							44MM



Introducing our stunning range of moulded doors which combine style and affordability Masonite door facings are 100% Irish manufactured. Smooth & textured white base coated faces, suitable for paint finishing.

VIEWING ATLANTA

MASONITE REGENCY

CARRICK



Carrick
6 Panel Smooth
Primed

KILLESHANDRA




Killeshandra
2 Panel Smooth
Primed

LEITRIM



Leitrim
6 Panel Textured
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Carrick	■	■	■	■	■	■	44MM
Killeshandra	■	■	■	■	■	■	44MM
Leitrim	■	■	■	■	■	■	44MM




Introducing our stunning range of moulded doors which combine style and affordability
Masonite door facings are 100% Irish manufactured. Smooth & textured white base coated faces, suitable for paint finishing.

VIEWING KILLESHANDRA

FIREDOORS

Your door can be your greatest friend in times of emergency. Our Fire Door collection is designed and tested to keep you safe when the situation demands it. Solid, easy to maintain and well styled we recommend making this an essential part of your door selection. All our fire doors are independently tested and certified with audits regularly carried out at place of manufacture that cover design, performance and quality assurance. Always refer to relevant fire door certificates for full instructions on installation and compliance.

Our premium moulded firedoor range is an exquisite collection of finely detailed moulded panel doors in both classic and contemporary styles. The smooth finish gives a sleek modern look and feel.



VIEWING ALTON

FIREDOORS

ORLANDO

NEW



Orlando
Grooved
Primed
FD30

BOSTON



Boston Shaker
Solid
Primed
FD30



Boston Shaker
Panel detail



Recommend
Contemporary Architrave and Skirting. See page 86 to 87

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Orlando FD30							44MM
Boston Shaker FD30							44MM



VIEWING BOSTON FIRE DOOR

FIREDOORS

SAVANNAH



Savannah
5 panel vertical textured
Primed
FD30

BROOKLINE

Brookline
4 Line Horizontal Smooth
Primed
FD30

ALTON


Alton
Ladder Design Smooth
Primed
FD30

ATLANTA



Atlanta
1 Panel Smooth
Primed
FD30

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Savannah FD30	▬	▬	▬	▬	▬	▬	44MM
Brookline FD30	▬	▬	▬	▬	▬	▬	44MM
Alton FD30	▬	▬	▬	▬	▬	▬	44MM
Atlanta FD30	▬	▬	▬	▬	▬	▬	44MM



VIEWING ALTON

FIREDOORS

KILLESHANDRA

Killeshandra
2 Panel Smooth
Primed
FD30

CARRICK



Carrick
6 Panel Smooth
Primed
FD30

SHANNON



Shannon
4 Panel Smooth
Primed
FD30

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Killeshandra FD30	▬	▬	▬	▬	▬	▬	44MM
Carrick FD30	▬	▬	▬	▬	▬	▬	44MM
Shannon FD30	▬	▬	▬	▬	▬	▬	44MM



VIEWING KILLESHANDRA

FIREDOORS

BLANKS



Fire Blanks

FD30 sizes: 7ftx3ft or 8ftx4ft

FD60 sizes: 7ftx3ft

POPULAR



Popular Fire Door

Paint Grade

FD30

POPULAR 7G



Popular Glazed Fire Door

Design: 7G

FD30

POPULAR 18G




Popular Glazed Fire Door

Design: 18G

FD30



Popular paint grade doors have hardwood lippings on two vertical edges



*Glazed FIRESHIELD doors are supplied with clear Georgian wired fire rated glass.

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	2040x926	THICKNESS
Popular Fire Door	■	■	■	■	■	■	■	44MM
Popular Glazed Fire Door 7G				■	■			44MM
Popular Glazed Fire Door 18G						■		44MM
Paint Grade plus Fire Door	■	■	■	■	■	■	■	44MM
Paint Grade Plus Glazed				■	■	■		44MM
Paint Grade Plus Hollow Core	■	■	■	■	■	■	■	44MM

PAINTGRADE PLUS



Paint Grade Plus

Primed

FD30

PAINTGRADE PLUS 18G




Paint Grade Plus

Design 18G

Primed

FD30



- No on site preparation required
- Pre-primed ready to paint
- No sanding or filling required to the face or edge
- Only the edge is required to be primed prior to painting
- Has a smooth face so easy to paint
- Quick installation due to less preparation
- Reduced decoration times

VIEWING PAINT GRADE PLUS

FIREDOORS

FLUSH OAK



Flush Oak
Pre-Finished



Flush Oak
Glazed Design 18G
Pre-Finished


Fire Frames, FD30, FD60 & Intumescent Fire Seals



FD30 Primed Frame
(108mm, 133mm)



FD60 Primed
Hardwood Frame
(90mm x 44mm x 2.1m)



FD30 Primed
With Fireseal



FD60 Frame
With Fireseal




Fire Only - White



Fire & Smoke White

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Flush Oak FD30							44MM
Flush Oak FD60							44MM
Flush Oak Glazed 18G							44MM



VIEWING FLUSH OAK & FLUSH OAK 18G GLAZED

MDF ELITE EDGE

ARCHITRAVES & SKIRTINGS

Indoors MDF **ELITE EDGE** Architraves & Skirtings are crafted with **Moisture Resistant** MDF and made to last.

Choose from our core range of traditional & contemporary profiles or our Period range designed to compliment Georgian, Victorian and Edwardian styled homes. Architraves & Skirtings are supplied Primed with a paint ready surface.

Manufactured from high quality FSC® certified MDF.

VIEWING PARIS ARCHITRAVE & SKIRTING

MDF ELITE EDGE

CLASSIC & CONTEMPORARY ARCHITRAVES & SKIRTINGS



Moulded Architrave
18mm x 94mm x 2.19m - Primed

Moulded Skirting
18mm x 144mm x 4.2m - Primed





Chamfered Architrave
18mm x 94mm x 2.19m - Primed

Chamfered Skirting
18mm x 144mm x 4.2m - Primed





Shaker Architrave
18mm x 94mm x 2.19m - Primed

Shaker Skirting
18mm x 144mm x 4.2m - Primed



The core range of **ELITE EDGE** Profiles includes popular classic and contemporary Architraves & Skirtings combining visual appeal with exceptional durability,

These profiles bring a true mark of quality to every project

FSC
www.fsc.org
FSC® C189640
The mark of responsible forestry

FEATURED CHAMFERED SKIRTING & ARCHITRAVE

PERIOD STYLE
ARCHITRAVES & SKIRTINGS



Paris Architrave
22mm x 103mm x 2.19m - Primed

Paris Skirting
22mm x 169mm x 4.2m - Primed

Our Elite Edge Period Profiles are inspired by the opulent curves and intricate detailing of the French Belle Époque era and Art Nouveau movement.

The designs featue lavish detailing, which celebrates extravagance and artistic expression.

VIEWING PARIS SKIRTING & ARCHITRAVE



Belle Architrave
22mm x 103mm x 2.19m - Primed

Belle Skirting
22mm x 169mm x 4.2m - Primed

VIEWING BELLE SKIRTING & ARCHITRAVE

SOLID WOOD

ARCHITRAVE & SKIRTINGS



VIEWING ARDMORE DOOR WITH VICTORIAN ARCHITRAVE

VICTORIAN & EDWARDIAN



Architrave Profile



Skirting Profile

PRIMED VICTORIAN ARCHITRAVE

CODE	DESCRIPTION
PRMARCVN	Primed Victorian Architrave 31x120x2.4 (5 Pcs)

PRIMED EDWARDIAN SKIRTING


CODE	DESCRIPTION
PRMSKTED	Primed Edwardian Skirting 25x169x3.6(5pcs)







Made from engineered solid wood, our versatile Primed Ogee style Architrave & Skirting complements any door style or finish. Choose your own colour scheme and create a unique identity for your home.



Made from engineered solid wood, our Contemporary style Primed Architrave & Skirting combines contemporary design with classic styling. The ideal finish to complement shaker doors.

PRIMED OGEE STYLE



Architrave Profile

Skirting Profile

PRIMED OGEE ARCHITRAVE

CODE	DESCRIPTION
PRMARCH	4" Primed Ogee Architrave

PRIMED OGEE SKIRTING

CODE	DESCRIPTION
PRMSKTG	6" Primed Ogee Skirting

PRIMED CONTEMPORARY STYLE



Architrave Profile

Skirting Profile




PRIMED CONTEMPORARY ARCHITRAVE

CODE	DESCRIPTION
PRMARCON	4" Primed Contemporary Architrave

PRIMED CONTEMPORARY SKIRTING

CODE	DESCRIPTION
PRMSKTCON	6" Primed Contemporary Skirting

PRIMED CHAMFERED STYLE



PRIMED CHAMFERED ARCHITRAVE

CODE	DESCRIPTION
PRMARCHF	4" Primed Chamfered Architrave


PRIMED CHAMFERED SKIRTING

CODE	DESCRIPTION
PRMSKTCHF	6" Primed Chamfered Skirting



Made from engineered solid wood. The versatility of a primed white finish combined with the latest trend in Chamfered profiles makes this Architrave & Skirting a popular choice. Ideal for contemporary projects.





Made from solid hardwood with an Oak veneer. Our Ogee style Architrave & Skirting is ideal for adding classic and authentic elegance to your home.



Made from solid hardwood with an Oak veneer. The Chamfered profile is the latest trend in Architrave & Skirting. Ideal for contemporary projects, it adds a unique style to any home.

PRE-FINISHED OAK OGEE STYLE



PRE-FINISHED OAK OGEE ARCHITRAVE

CODE	DESCRIPTION
OAKARCH	4" Oak Ogee Architrave
OAKARCH3	3" Oak Ogee Architrave

PRE-FINISHED OAK OGEE SKIRTING

CODE	DESCRIPTION
OAKSKTG	6" Oak Ogee Skirting
OAKSKTG5	5" Oak Ogee Skirting

PRE-FINISHED OAK CHAMFERED STYLE



PRE-FINISHED OAK CHAMFERED ARCHITRAVE

CODE	DESCRIPTION
OAKARCHF	4" Oak Chamfered Architrave

PRE-FINISHED OAK CHAMFERED SKIRTING

CODE	DESCRIPTION
OAKSKTCHF	6" Oak Chamfered Skirting

DOOR ACCESSORIES



Oak Frame
(108mm,133mm,150mm)



Oak Pre-Finished Plant on Door Stop
44x12x2.2m



Oak Pre-Finished Plant on Door Slip
94x12x2.2m

Saddle Boards
1m & 1.8m



Oak



White Deal



Primed White Frame
(108mm,133mm,150mm)

Frames - All sizes supplied with plant on adjustable door stop



HOCKEY STICK
Further enhance your Architrave with the addition of our elegant hockey stick, creating a classic heritage look.





T-REBATE STRIP
Our T-Rebate door slip is a convenient and stylish solution for double door installation.





DOOR FRAMES

CODE	DESCRIPTION
OAKFRAM108	108mm Oak Door Frame
OAKFRAM	133mm Oak Door Frame
OAKFRAM150	150mm Oak Door Frame
PRMFRAM108	108mm Primed Door Frame
PRMFRAM133	133mm Primed Door Frame
PRMFRAM150	150mm Primed Door Frame

SADDLE BOARD, STOPS & SLIPS

CODE	DESCRIPTION
KDS001P	1M Oak Saddle Board
KDS018P	1.8M Oak Saddle Board
SBWD36	1M White Deal Saddle Board
SBWD18	1.8M White Deal Saddle Board
OAKSTOP	Oak Plant On Door Stop
OAKSLIP	Oak Plant On Door Slip

T-REBATES & HOCKEY

CODE	DESCRIPTION
OAKHOCK	Oak Hockey Stick
PRMHOCK	Primed Hockey Stick
44WHTTR	White T-Rebate Moulding
44OAKTR	Oak T-Rebate Moulding
44BLKTR	Black T-Rebate Moulding
44WWKTR	Grey T-Rebate Moulding

SLIDING DOOR KITS

CODE	DESCRIPTION
K1557702	Manhattan Aluminum Sliding Door Kit
K1557704	2m Sliding Door Rail Aluminium Cover
K1557716	2m Sliding Door Rail White cover
K1557717	2m Sliding Door Rail Black cover
K1557706	Sliding Door Rail Soft Close Mechanism
K1557705	2m 100kg Loft Black Sliding Door Rail Kit
K1557708	Loft Sliding Door Rail Soft Close
K1557713	Double Door Joining Bracket for Loft Rails

DECORATIVE MOULDINGS

Our collections of Decorative and Architectural Mouldings are of the highest quality and can add a design feature or totally transform the look or character of a whole room.



CODE	PRODUCT	SIZE (MM)	PACK QTY
DEC2003	LIGHT HARDWOOD BOG	7 X 16 X 2.4M	20
DEC6003	PINE BOG	8 X 21 X 2.4M	24
DEC6013	PINE DADO RAIL	45 X 20 X 2.4M	10
DEC6009	PINE DADO RAIL	70 X 19 X 2.4M	6
DEC6039	PINE PICTURE RAIL	43 X 18 X 2.4M	10
COV6001	PINE OVOLO	34 X 8 X 2.4M	20
COV6010	PINE HOCKEY STICK	20 X 8 X 2.4M	16
WDW6001	PINE GLASSBEAD	8 X 11 X 2.4M	20
DEC6019	PINE BARREL	34 X 12 X 2.4M	24
DEC6016	PINE DECORATIVE PANEL	8 X 21 X 2.4M	24
DEC6011	DECORATIVE PINE PANEL	15 X 45 X 2.4M	16
PRMHOCK	HOCKEY STICK PRIMED	30 X 18 X 2.25MM	10
OAKHOCK	HOCKEY STICK OAK	30 X 20 X 2.25MM	10
44PRMTR	T-REBATE PRIMED	SUITABLE FOR 44MM DOOR	5
44OAKTR	T-REBATE OAK	SUITABLE FOR 44MM DOOR	5
DEC6014	PINE DECORATIVE PANEL	8 X 20 X 2.4M	24
DEC6018	PINE DECORATIVE PANEL	11 X 28 X 2.4M	10
DEC6023	PINE DECORATIVE PANEL	7 X 45 X 2.4M	20
DEC6024	PINE DECORATIVE PANEL	7 X 56 X 2.4M	20
DEC6036	PINE REED	6 X 34 X 2.4M	16
DEC6031	PINE DECORATIVE COVER	7 X 35 X 2.4M	10
DEC6035	PINE DOUBLE ASTRAGAL	20 X 44 X 2.4M	10



MANHATTAN

SLIDING DOOR RAIL KIT



Manhattan Aluminum Rail
k1557702

Soft Close Mechanism
k1557706

Aluminium Cover
k1557704
Also available in White (K1557716) and Black (K1557717)

The Indoors Manhattan Aluminium sliding door kit is the latest trend for home owners keen on “space saving”. Our aluminium sliding door kit can be used for both Pocket Doors (hidden from view, where doors slide into the wall) and wall mounted sliding door systems (the kit is visibly mounted above the door opening).

It’s unique wheel and track system ensures the highest quality movement on the market. It comes with an optional soft close feature. For double door specifications, two kits will be required.

Each Kit is 2m long and can hold a maximum weight of 100kg, Suitable for all doors between 18-44mm (thickness).

LOFT

SLIDING DOOR RAIL KIT



Joinery Bracket
K155713



Soft Close Mechanism
K1557708

Our Loft Sliding Door Kit is a styling statement in itself. Designed to carry a single door, both door and kit combine visual aesthetics with functional space saving, ideal for the modern house or apartment. With smooth movement, it is suitable for all doors within the Indoors collection.

Each Kit is 2m long and can hold a maximum weight of 100kg, Suitable for all doors up to 50mm (thickness). See page 92 for details on our Sliding rail Kits and Accessories.

VIEWING DEVON DOOR & LOFT SLIDING RAIL

FibroTech Acoustic Panels

for ceiling and walls

NEW TO IRELAND

New from B&G, FibroTech acoustic panelling. FibroTech acoustic panels creates timeless beauty for both walls and ceilings as well as a sound absorbing surface for improved acoustics in your room.

FibroTech offers an extensive range of colours to choose from, and the panels can be installed horizontally as well as vertically. Our Scandinavian style timber finish panels are made with polyester, MDF and knot free real wood veneers. They are 100% FSC® certified. The polyester is made from recycled plastics. We also offer the latest white panel from the Unika range which is foil-wrapped and easy to clean, making it suitable for all areas including bathrooms & kitchens.

Simply scan the QR code to see our "How To" video on the DIY Friendly resources section of our website **www.bghome.ie**

B&G DIY FRIENDLY

Key Features & Benefits

- Sound absorbing acoustic panels
- Nordic interior design style
- Knot free real wood veneers
- Panel size: 22 x 605 x 2440mm
- Suitable for walls & ceilings
- Easily installed with glue and/or screws
- FSC® certified
- Black polyester is made of recycled plastic.

FSC www.fsc.org FSC® C189649 The mark of responsible forestry



FIBROTECH BY TREE TOPS

SCAN THE QR CODE TO TRY THE ONLINE VISUALIZER

The Complete Collection



Light Oak | Oiled Oak | Grey Oak | Walnut | Smoked Oak | Black Oak | Unika White

HOT STUFF!

RADIATOR COVERS

The radiator cover collection from Tema aims to bring style and elegance to your home. Our radiator covers are effortless both in aesthetic and build, you can upgrade the look of your home by turning your radiator into a perfect piece of furniture for your living space that can be assembled in minutes!


What Tema radiator covers promise to deliver:

- Our radiators covers are designed to allow heat to flow freely
- Protect infants from dangerous hot surfaces
- Conceal unsightly radiators and provide a new piece of furniture for your home
- Can be used as a stand alone piece of decorative furniture where no radiator is present.
- Assemble within minutes and without professional help

DIY FRIENDLY


To view the full collection, please visit us at www.bghome.ie

GEORGIAN



- Luxurious Georgian style.
- Satin White.
- Oregan grille removes for easy access to radiator valves.
- Available in 3 popular sizes.
- Easy click assembly with wall fixings.

GEORGIAN TWO TONE



- Prefinished white and oak veneer.
- Assembles in minutes.
- Easy 'keyslot fittings.
- Includes grille

All Sizes in mm		Small	Medium	Large
Width	External Cabinet Size	1017	1198	1710
	Maximum Radiator Size	910	1100	1600
Height	External Cabinet Size	800	900	900
	Maximum Radiator Size	750	855	855
Depth	External Cabinet Size	180	200	200
	Maximum Radiator Size	100	120	120

Choosing Your Radiator Cover

Step 1 Measure your radiator size (including valves)

Step 2 Choose your radiator cover design

Step 3 Choose the appropriate radiator cover size



VIEWING GEORGIAN

CLASSIC ADJUSTABLE



- Pre-finished White.
- Adjustable width for perfect fit.
- Assembles in minutes.
- Easy ‘keyslot fittings.
- Includes grille.

TWO TONE ADJUSTABLE



- Adjustable width for perfect fit.
- Complete with best selling Oregan screen.
- Pre-finished White & Oak Veneer.
- Available in medium and large.
- Easy click assembly with wall fixings.

All Sizes in mm			Medium	Large
Width	External Cabinet Size	Min	975	1430
		Max	1425	2000
	Maximum Radiator Size	Min	900	1355
		Max	1350	1925
Height	External Cabinet Size		918	918
	Maximum Radiator Size		870	870
Depth	External Cabinet Size		220	220
	Maximum Radiator Size		140	140

Choosing Your Radiator Cover

Step 1 Measure your radiator size (including valves)

Step 2 Choose your radiator cover design

Step 3 Choose the appropriate radiator cover size



VIEWING CLASSIC ADJUSTABLE

HOTSTUFF!

RHODE ISLAND



- Contemporary design.
- Pre-Finished in Satin White.
- Slatted grill removes for easy access to radiator valves.
- Available in 3 popular sizes.
- Easy click assembly with wall fixings.

All Sizes in mm		Small	Medium	Large
Width	External Cabinet Size	1020	1195	1710
	Maximum Radiator Size	940	1113	1640
Height	External Cabinet Size	800	900	900
	Maximum Radiator Size	775	870	870
Depth	External Cabinet Size	180	200	200
	Maximum Radiator Size	110	130	130

Choosing Your Radiator Cover

Step 1 Measure your radiator size (including valves)

Step 2 Choose your radiator cover design

Step 3 Choose the appropriate radiator cover size

VIEWING RHODE ISLAND

HOTSTUFF!

CONTEMPORARY ADJUSTABLE



- Adjustable width for perfect fit.
- Complete with best selling Oregan screen.
- Pre-finished White & Oak Veneer.
- Available in medium and large.
- Easy click assembly with wall fixings.

All Sizes in mm			Medium	Large
Width	External Cabinet Size	Min	975	1430
		Max	1425	2000
	Maximum Radiator Size	Min	900	1355
		Max	1350	1925
Height	External Cabinet Size		918	918
	Maximum Radiator Size		870	870
Depth	External Cabinet Size		220	220
	Maximum Radiator Size		140	140

Choosing Your Radiator Cover

Step 1 Measure your radiator size (including valves)

Step 2 Choose your radiator cover design

Step 3 Choose the appropriate radiator cover size



VIEWING CONTEMPORARY ADJUSTABLE

TO ENSURE THAT YOUR DOORS LOOK AND PERFORM TO THE HIGHEST STANDARDS,

Please Follow These Care And Installation Guidelines:

WHEN YOU RECEIVE YOUR DOORS

At the time of receipt of the doors inspect each thoroughly to ensure it is in perfect condition and has not been damaged during transit or storage. Report any visible defects within 3 days of receipt. Always use 2 people when lifting doors and lift by the edges and not by the glazing bars or panels. Allow your doors at least 7 days to acclimatise to the room where they will be fitted. Store them at normal room temperature (about 20 degrees) lying FLAT on 3 battens to allow the air to circulate. Ensure the room is dry and well ventilated and that the doors are kept out of direct sunlight.

TEMPERATURE & HUMIDITY

All timber naturally expands when it absorbs moisture, and contracts when it dries. It is vitally important that your doors are protected from extremes of heat and humidity. Never fit or store doors in a newly plastered room or building. Please allow at least three months to ensure the rooms have been heated and dried thoroughly. We recommend that rooms are maintained between 18 – 20 degrees Celsius and between 40% - 60% humidity. Extremes of heat, dryness or humidity can cause cracking or warping. If under-floor heating is installed, it is recommended that it is not kept at a high setting for prolonged periods and at least 3 coats of sealer are applied on the bottom edge of each door.

PRIMED/PRE-FINISHED DOORS – RESEAL AFTER ALTERING

When primed or pre-finished doors are already fully sealed, it is important to reseal all exposed surfaces after trimming or cutting out for locks and hinges. If the door needs resizing, and trimming removes all primer from its edge, you can refinish the edge by applying an undercoat followed by paint. For colour doors such as black or grey, please refer to our website or brochure for the specific RAL number required. Handle pre-finished doors with extreme care to ensure the surface is not damaged in any way. Doors should not be laid on their side or edge without protecting the surface with cardboard.

ALL PRE-GLAZED DOORS FITTED WITH SAFETY GLASS

For your safety, all our pre-glazed doors use toughened or laminated safety glass. Take care to avoid any impact to glass when hanging or fitting the hardware. For a superior finish, some of our pre-glazed doors may be glazed using the Cassette Glazing System, where the glass is an integral component of the door and this glass cannot be replaced. Glass should be checked thoroughly in daylight before hanging and any defects reported immediately.

GLASS MAINTENANCE

Glass may be cleaned using a soft damp cloth. Do not use any abrasives or cleaning fluids. Care should be taken when cleaning leaded or screen-printed glass as excessive cleaning can damage or remove the finish.

INSTALLING YOUR DOOR

Before you start, inspect your doors thoroughly on all sides. The installation of the doors constitutes acceptance that the door is free from visible defects at the time of hanging.

Any slight roughness on a door caused by the primer, or small gaps, can be lightly sanded. Wood filler may be necessary to achieve a perfect finish.

If you need to trim the door, reduce equally on both sides by no more than 5mm. The top and bottom of the door should not be reduced by more than 10mm to maintain the proportions and stability of the door. Do not fit locks where the stile meets the mid-rail, as this could weaken the door Joints. Keep the lock cavity to a minimum. Locks etc. must be installed before hanging the door and always use 3 hinges. Care should be taken to ensure hinges are fitted in perfect alignment. When fitting double doors we recommend using a T-Rebate strip.

FINAL FINISHING PRIMED DOORS

When the Primed door is hung, it should be finished immediately with a high quality Paint sealer. Always follow the paint manufacturers' instructions for the paint to be used. All surfaces of the door must be painted at the same time to prevent moisture imbalance, do not finish one side of the door only.

CARE AND MAINTENANCE

Regular care and maintenance of the door finish will enhance the appearance and prolong the life of your doors by preventing breakdown of the finish and protecting the timber from deterioration. Panels are floating and can expand or contract to allow for variations in temperature. This can occasionally expose paint lines along the edges. This is not a fault and can easily be sanded and refinished. Regularly clean glass with warm, soapy water. Avoid using abrasives or excessive scrubbing as this may cause scratches or remove designs.

LIMITED 12 MONTH GUARANTEE ON INDOORS

All Indoors products are guaranteed against any manufacturing faults or defects for a period of 12 months from date of purchase. In the unlikely event that there is any defect in the product arising from manufacturer or material fault we will immediately replace the door but no liability can be accepted for other consequential costs such as painting storage, installation etc. For this guarantee to be valid, all the above guidelines must be followed. B&G will not be liable for any door repaired, returned or replaced without prior consent by B&G. Timber is a naturally grown product which makes every door unique as such there can be a certain amount of colour variation in the timber or the veneer. Uniformity of grain or knots cannot be guaranteed. Warping is considered as a fault only where deviations exceed tolerances as outlined by BS 5277 Part 1.



VIEWING KIRKLAND CLEAR GLASS

INDEX


Page 10


Page 10


Page 10


Page 14


Page 16


Page 18


Page 18


Page 20


Page 20


Page 22


Page 26


Page 26


Page 26


Page 28


Page 28


Page 28

Page 30


Page 30


Page 30


Page 32


Page 32


Page 34


Page 34


Page 34


Page 36


Page 36


Page 38


Page 38


Page 40


Page 40

Page 42


Page 42


Page 42


Page 46


Page 46


Page 46


Page 46


Page 48


Page 48


Page 48

Page 48

Page 50

Page 50

Page 50

Page 52

Page 52

Page 54

Page 54

Page 58

Page 60

Page 60

Page 60

Page 64

Page 64

Page 66

Page 66

Page 68

Page 68

Page 68

Page 70

Page 70

Page 70

Page 80

Page 80

Page 80

Page 81

Page 81

Page 82

Page 82

indoors Visualiser

Introducing the **NEW**
Easy To Use **Indoors Visualiser.**


For the first time in your home, view any of our classic or modern doors, in a variety of colours, white, black, grey or oak including glazed options.

You can use the **Indoors Visualiser** on any computer, tablet or phone.

Open the Doors to your Imagination with the **NEW Indoors Visualiser**

Scan the QR code to try it out

Renovating?



Follow us on Social

INDOORS IS A TRADEMARK OF B&G LIMITED,
FIND US AT WWW.INDOORS.IE OR CONTACT US ON (01) 4569300

B&G
www.bghome.ie